

1/13




FIG. 1

BEST AVAILABLE COPY

2/13




FIG. 2

3/13




FIG. 3

4/13




FIG. 4




FIG. 5

5/13




FIG. 6

10/525609

6/13

PARAMETER =CallingFeaturesindicator2						LENGTH=V		TAG =H'9fff7d	
CONTENTS								MEANING	
H	G	F	E	D	C	B	A	Octet	Notes
VMSB		VMSU		MC		CC		1	
FMSNA		FMSB		FMSU		VMSNA		2	a
SRBT		NCW		Prefer_Sys		MUDN		3	
....								n	

FIG. 7

7/13




FIG. 8

8/13




FIG. 9



9/13




FIG. 10

10/13

PREFIX NUMBER	ROUTING INFORMATION
⋮	⋮
293	IP SERVER # n
⋮	⋮
xxx	IP SERVER # (n+1)
⋮	⋮

FIG. 11

SUBSCRIBER PHONE NUMBER	CODE INFORMATION
⋮	⋮
293-XXXX	07
⋮	⋮
⋮	⋮

FIG. 12

11/13

CODE	RING-BACK SOUND
01	RING-BACK SOUND #1
⋮	⋮
07	RING-BACK SOUND #7
⋮	⋮

FIG. 13




FIG. 14

10/525609

12/13




FIG. 15

13/13

SUBSCRIBER PHONE NUMBER	CODE INFORMATION
⋮	⋮
293-XXXX	07
⋮	⋮
294-0000	CHANGE 17 ----> 07
⋮	⋮

FIG. 16

CODE	RING-BACK SOUND
01	RING-BACK SOUND #1
⋮	⋮
07	RING-BACK SOUND #7
⋮	⋮
17	RING-BACK SOUND #17
⋮	⋮

FIG. 17